

4" DIMMABLE LED DOWNLIGHT - 5CCT INTERCHANGEABLE RING TRIM

DESCRIPTION:

4" Dimmable LED Downlight with a 5CCT Interchangeable Ring Trim. This 9-watt downlight produces 650 lumens and 5CCT options (2700K/3000K/3500K/4000K/5000K). It features changeable ring trims in white, matte black, and chrome to suit different decor styles. Install it with JBox for style and functionality.



FEATURES:

- High-Efficiency Lighting: Employs cutting-edge LED technology to deliver bright, superior lighting while minimizing energy use.
- Sleek Design: Boasts a simple yet elegant design, complete with interchangeable trims in white, chrome, and black to match your interior design.
- Simple Installation: Features a quick-connect wiring system for an easy and quick installation process.

APPLICATIONS:

- Offices
- Retail Stores
- Educational Institutions
- Hospitality
- Living Rooms
- Kitchens


TECHNICAL SPECIFICATIONS:

Input Voltage	AC120V
Wattage	9W
Color Temperature	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)
Beam Angle	120°
CRI	80
Shape	Round
Lumens	650lm
Dimmable	Yes(Triac)
PF	>0.9
Driver	Built-in Driver


UNIFORM LIGHT DISTRIBUTION:

- Precision LED Placement: SMT technology for exact LED positioning on FPCB.
- Even Light Spread: PMMA LGP and diffuser plate for a consistent, shadow-free glow.



LIGHT DISTRIBUTION CURVE:




EXPLOSIVE VIEW:



DIMENSIONS:



TRIMS:



ORDERING GUIDE FOR TRIMS:

SKU: NUR-SLSM-DWN-TRIM-4-CHM				
Model	Down-Trim	Size(in.)	Color	
NUR-SLSM	DWN-TRIM	4	CHM	Chrome
			BK	Black
			WHT	White

STANDARD INSTALLATION:



Recessed with standard junction box

4" CAN RETROFIT INSTALLATION:



Accessory Installation kit for use when installing into a 4" recessed canister.

SKU: NUR-SLSM-R-REC-MNT-4"